

Figure 1A




Figure 1B




Figure 2




Figure 3

						1000000	C C C C C C C C C C C C C C C C C C C											
														S. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		200		
			10 10 10 10 10 10 10 10	3	2	1700	\Langle	- 10 m	. 102	183	ipp per	TENT MIN	PERCENT	IPP PERCENT MIN PERCENT WAX PERCENT AVAILABLE IDS COST	SCENT A	VAILABLE	(br (COS	/\\ #=
3	LEKING INC. VEN	1	2000	36	Š	,	,	15	2	412		0		001	\$\$	000	0.34	
£ \$			Bi-Modal Fil	3 5	282	. "	24	. .	3 2	253	. 0	0		001	18	180000	0.35	
¥ 3			9656	0.81	208	5:1	*	=	8	306	0	0		8	8	0000	0.33	' ~
· ·		CPChem	K-203	0.12	Ç	15	.5	130	us	21	0	0		8	91	180000	0.34	 _
			9449	0.73	139	3.2	24	35	7	423	0	0		8	2	30000	0.33	=
× 9			H524	90.0	165	11.4	24	19	23	454	0	0		9	2	000	0.33	_
¥			2696	0.45	238	2	7	9	ĸ	407	0	0		901	=	30000	0.35	
3			Š	2.08	161	60	<u>'</u>	ĸ	ន	911	•	0		100	2	90000	0.3	۸,
0	A B C		Darv	0.62	23	 E:1	Ņ,	11.	£	270	0	0		9	4.	2000	0.26	
, =			Ę	0.32	187	2,5	. 2	ន	8	307	0	0		8	4	0001	0.24	_
			Tvek	0.61	503	.6	. 24	. 2	12	220	0	0		8	4	0052	0.25	
onity (MD 00														N The Company of the	
- ::																		
	Fide Constraints Report	000				ľ			:				:			1		़

Figure 4

	COMBINATIONS	- 4												5	
	PERCENT MATER TOTAL PERCENT COMBINATIONS	99.99													
		1	3												
	PP PERCENT	0													
	7. E83	250	300						\	· .					
	8	2	R), ;), ;), ;									
	10	20	40												
	T.M.I.	24	(nul)												
no ABI	en la company de	191	195 5												Report
% ABT OptiMISEH - Dayton demo.AU Fie		-31	0.4												Edit Components Edit Constraints Report

Figure 5

💋 ABT OptiMISER - Dayton demo.ABT


ne 이술[대] Solution | MI

Figure 6

Edit Components | Edit Constraints | Report (C) Advanced Blending Technologies LLC.

- 6	+	S R3 289.961 PP-PERCENTED COST 0.2664 Lbs: 68927 PS PERCENT PP PERCENT COST AVAILABLE Lbs I USED t.bs REMANING Lbs PERCENTA		S		8 Responses		
100		S PERC	2	14.36	16.17	59.48		
	stri 🦸	solutions: solution: 17 Million 366 HEX. 1913 DENSITY: 0.9531 1200: 3 NCT: 21 RE: 22 RE: 25 RE: 28 RE: 2		Σ	_	STATE OF		
至 大学教		S REM	83107	170105	31354	0		
		7.0 ZE JED Lb	6893	9895	11146	41000		
		S = 3		0.	_	-		
		VATLABL	00006	180000	42500	41000		
不要		8 S	33			0.24 4		
建筑		289.961				10.00		
		R3:	0	0		0		₹! *
		R2: 2	Ř	253	220	307		
i k		32.274				56		. :
Š		NCTL: 24 R1:	= -			24 23		
l y		NG.	1.5			2.5 2		
		1Z0021				187		
N.		1231 IZ	80			0.32		
		17. 0.	1	Bi-Modal Film				
		tions: SolutionD: 115 [MI 00346] [HEX: [191] [DENSITY: 0.9531]	3	BHWod	Tyvek	:HIC		
		EX: 191	N S	Equistar	Broker	Broker		2
mo.AB1		346 H	2 6	2	, E			3
op uoto		O DM		יע י	Repro	Natural RG		
R Da		OniD:	E 3	¥ 3	:: R	01 N	Fig. Contracts Etc. Costsules Street	1
// ABT OptiMISER - Dayton demo.AB		Soluti	Clabor					cort Carparette Los Coros and Report
ØABT 0		lution	ХI.		-	-		5

Figure 7



	785	0.45	0.43	0.41			
	08 <i>b</i>	4 40 40 40 45 45 45 45 45 45 4	00006	180000			
-	975	100	100	100			
	970	製R3等 RP Hercent Min Percent MMaX Ref Cent AXAII aDI & HD S X 180 -	0	0			
	2%	Percent Min	0	0		8	1961
	20 5	R2 R3 RR 32 180	308 308	41 312			
	945 93 V V	NOTE R1	15	25 32	etail _		
	<i>y</i>	lzod 3	2.1	3.2	ort Report L		
	7 930	MIN FIEX	0.46	0.34	Edit Constraints Report Report Detail		
	920 923 J	Product	CPChem 9656	249		ِ ا ا	405
	915 P	Type Wendor			Edit Components		
	910	IID) (MaterialyType)	2 Prime				

FIGURE 9

1010	1015 1020		1201	1601 0501 1201	1035	0401	1040 1047 1050	1050	(055	0901	1065	0201	
ے	~	~	~	ے		-2	~	マ	2	٦	N	2	
I N A A S W W M I M M M M M M M M M M M M M M M M	SWIES S	Flex	Pozi	NCTE	SR4	R2	R3 PP.	Percent	Percent Mat	Combination (se/ Database.	Components
AIRIMUN 0.3 185 2 24 20 25	0.3	185	2	24	20	2	175	0		0 3	3 MatWeb ÷	•	
Maximum 0.5 195	0.5	195	~2	-5 [[null] 40 40	40	1	310	Market of	100	0	3		1 months of the second
Edit@omponents Edit.Constraints Report Report Detail	nents E	dit Cons	straints	Report	Report L	Jetail							
			S										
		1	500										

FIGURE 10

9	100	ω	ω	8	ω	48500 ENGRUPENTÉ
	Blend Pounds	225028	225028	225028	132498	
1/60	Bo	22	- 22	- 22	15	
_	jenc	2000	A Section	200		
,	B B	3] þ	9	8		
5-	Gost	0.40	0.40	0.408	0.42	
3	9	0.404	0.406	Tions	0.427	
	nt	0	0	0	0	
1130 12	erce		2897			
	RP Percent					
h	WE COL		200 200 200 200 200 200 200 200 200 200			
745	R3	226	214	213	295	
	经货币					
0h11		37.5	7	9	9	
= 7	W R2	37.	37.	36.6	32.6)eta
ı	52.7	33.5	36.3	34.6		Report Report Details 4
155	R	3.5	6.3	4.6	1.5	89
	R1	3	8	(S)	30 21.5	
0				37	1000	T T
5	N S	32	37	37	30	Repo
١	IZON POZI	器				Not the second second second
227	Bo	7	8	7	4	nts
	ZI WIE	2.7	2.8	2.7	2.4	Sonstraints
0		180	188			o Jo
27	FIEX	188	185	191	185	Editi(
	Solution MI MEE	800 800		A 1 1000	4.075	
5-		39	0.347	158	182	nts
7	N. SERVICE	0	0	0	0	Done
_	N SE	333	100			E CO
5 7			2	3 0.358	4 0.382	Edit Components
	So	1				新创新学生的
		'	Ž			
			1170,			

FIGURE 11

	0	繳	變		
	Used Lbs Remaining Lbs Percentage				
	g	0	10	-80	
200	8			8	
7	ē	33			
Ŀ	O.	饕	330	(3)	
	S			188	
	9				
		2	7		
	Ξ	67497	22503 157497	180000	
	딥	1/	27	<u>ا</u> ن	
	g	9	~		
	등			100	
	ď			Å.	AND SO AND PERSONS IN
	Č.	8	(A)	30	
	9	3	3	2	
	89:Di	50	50	ΙŎ	
ı	ĕ	22	22	Œ	
ı	5			N.	
		200	383	393	
I	38	靈			
Ī			0	0	
I	0	ŏ	8	18	
	ap	8	ğ	ĺŘ	
		6	180000	ı	
				器	
	%	ᇔ		驟	
ſ	st	က		0	
	io	7	7.4	Z	
ŀ	NCTL R14 R2 R3 PPPPercent Cost Available Lbs.	0 [0:43 90000 22503	25 32 41 312 0 10.41	34 36 38 206 0.40 1.80000	
ı	Ξ				
1	ပ				
ı	ē	0	0	0	
ı	岩	188			
- 1	B				
ł		0	~	100	
ı	2	ğ	Ξ	١ŏ	
ı	1283	27 15 30 306	92	100	
J	\Im	lo	Ξ	8	
1		00	70	800	
- 1	樫	ည	ြ	ြိ	
ı	ፈ	$\overline{\mathbf{x}}$	ကြ	m	
	- EE 1	303	1.00	100	
ı		1	2	4	
ı	9	2	12	ကြ	
ŀ					
]	Ō	200	S	12	<u> </u>
- 1	Z	2	က	N	ort Ded
1				議	
-	100	183	P.C.	1135	7
	9	5	39	18	.
	T.	2	T	X	₽
		26/20	400.00 Q:20	Sec.	Æ
	118	46	34	18	
1		Ö	Ö	lo.	S
		製造	25% 4.57	3000) 5000	
	9	ဖ		12	اق ا اقا
-	Đ	53	14	45	
		Ō	13	က	
	1950	2000 2000	332	1 52	「ルルの - イルトの If Constraints
	O	E		Sal	
	2	ΙĔ	5	۱e	
	ē	М	۱š	=	
_`	1	Ü	Įώ	Formosa 2452 0.39 192 2.7	
	ID Material Trype/Avendori Product MM Relexa MIZOD	2 Prime / CPChem 9656 0.46 201	1 Prime Exxon 249 0:34 139 3:2	级众	Edit Components Edit Constraints Report Detail
	Š			A WebBuy	
ୁ	1		1		9
딝	ā		[:	≥	
ΞÌ	eľ	ø	٥	<u> </u> $\vec{\omega}$	
릇	at	ľĒ	ĮΕ	용	
Solution, 1	Σ	E	١	∣≶	
	6	Ι.	10	17	
			4 37	1175	1. 5 8 1 2 2 2 2 3 5 3 5 5 5 5 5 5 5 5 5 5 5 5 5

FIGURE 12.

5		
CE		
2		
Ú		

ost	0.45	0.43	0.41		
Max Percent Available Lbs. Cost	◎ 000		00		
e Lbs	180000	00006	180000		
ilabl					
Ava			ļ		
ent	100	100	100		
Perc	:		:		
Мах					
int	0	0	0		
Perce		٠,			
MIN	2500		0.5000		
R3 PPPercent Min Percent	0	0			
Perce	有限的		00000		
PPH			- V		
R3	180	306	312		
2	32	30	41		igi
R		_			ž Ž
R	43	15	32		Repo
STLI R1	102	27	25		Report Report Detai
Ž					
Izoc		2.1	3.2	r i Falsa kanala Sara	Cos
.lex	178	201	139		ent to
	4	9	34		nodu
WW	4689 0.14	0.4	249.73 0.34 139		Ö
duct	6	9	.73		ints
D Material Type Vendor Product MI Flex Izod	468		249		Edit Components Edit Constraints Component to Cost
ndor	Equistar	hem	J.	经 数数据的	S H C
Vel	Egui	CPC	Exxon		Ĕ
ype					ents
rial					pod
Mate	Prime	Prime	Prime		Con
10	1	2	3		Edil

(300

7

_	
0	
2	
-	

St	2		计一致 政治 化二人烷剂	
ဝ၁	0.4275			
pue	0			
BIG			<u> </u>	
red			•	
esi				
通過	3	ല		
suc				
atic				
ııqı				
or				٠
	_			
ial	10	100		
ater	1	i		
t M:		The Art of		
cen	1	- 3		
Per	200	100		
羅魚	⊚ 0			100
□ PP. Percenti PercentiMaterial © Combinations Desired Blend Cost)	1		W.W.
Per	•			etai
PP				D L
				Report Detail
R3	175	310		8
				Ц
				ort
R	25	40		Report
				100
				Sost
R1	20	40		
		·		nt to
響響	H			oue
	7	=		dmc
N	1	[luuli]		ŏ
調整	2 24			ţ
Zod	7	5		ain
	<u> </u>	<u>'</u>		nstr
×	2	5		S
FIE	185	195		텛
Max. MI Flex Izod	-	-		Edit Components Edit Constraints Component to
S	0.3	0.5		ints
	L			one
X	Minimun	Maximum		Juc
Ĭ	in E	III		Ŭ.
S. S.	E E	lax		Eq
1500	12	[2	<u>L</u>	

FIGURE 14

(46)	. T		٠
In Percent Max Percent Available Lbs	šI.		
SOOK	3		
[출l ⁻			
E			
§			
cent	3		
ခ ွဲ			
je.			
₹	I	•	
Σ̈́	١	1	
¥ (╗	\	
Ģ	1		
le l	١		
2	١		
Ē	1		
<u> </u>	ᅱ	, !	
Ę.			
er.	I	(A) [1] (A) (A) (A) (A) (A) (A)	
R3 PPIPercent			
<u>O.</u>			
e c	2		
	င္ပ		
	3.3		
R2	\tilde{c}		
1822			<u> </u>
200	25		eta
R1			9
	٦	144	Report Detail
1210	8		&
100 miles	┨		
DO.	v.		읾
7			Cost Repor
	╗		st
ă S	g g		ၓ
	≃ا	٠ ٩	2
100	_		티
			oner
Σ	ان ا	· ::	2
	ا^		ટ
7	- 1		Edit Components :: Edit Constraints Com
TICO TICO	-		Ĕ
ĕ	اڅ		štra
ndor Prod	C		š
Ş			آ ت
en) wor		Εq
200	긔		\$166 1988
be			ts
			jen
Material Type Ve	,	Service and the second	ğ
E E	Prime		E
Ž,	Ē		Š
	Α		Edi
	7		

1500

FIGURE 15

iena Kounas	230221		
ടാടാ	0.4275		
K3 PP/Percent Gost Biena Founas	0		rt Detail
40	197		Component to Cost Report Report Detail
- K	35.7		ist Report
	35.8		ponent to Co
SN POZI	.1		
lex Iz	189 2		dit Constrair
M	0.3		nents - I - E
Solution	J. T. J. 1881.		Fdit Components Edit Constraints
S)	1	1	L

0091

FIGURE 16

.

	_
(
õ	
7	

ge	+3	Ċ.	38	
ent	78.2	0.0	11.8	11 11 11 11
erc	7		77	
		_		
T.Ps				
ing		56978	62824	
ain		156	628	
۷еш				
S				
	180000	23022	27176	100
)se(18(23	.27	
5	H			
QT.	Q	Q	0	
ple	180000	0000	ŏ	
aile	-18	18	õ	
Y	70	100	vii.	
ost	124	0.450	130	
S	7.0	0.	ò	
ent			.::	
erc	0	0	o	
ЪР				
3. P	3	0	9	
R	183	180	306	
R2	37	32	30	
製物				
R1	32	43	15	
			_	
CI	88	102	27	1 •
8		\vdash	_	
poz	2	က	2.1	A TOWN TOWNS
)Z] 🐼	189		1	
	6	3	480	
Fle	186	178	201	
	(A)	100		
MIN	0.31	0.14	0.46	and a seek to as a section
W	Ö	0	ő	
ct			<u></u>	1
Product	5109	4689	9656	
Ы	L	4		
dor		ă	her	
/en	Dow	Equistar	CPChem	
ě	۲	Ш.	12	1
S	ľ			
rial				
ate	rime	rime	Prime	
VALUE To the	⊨	JQ.	+=	
9	2A	1.	2	
_	_	_	_	

Edit Components | Edit Constraints | Component to Cost | Report | Report Detail



FIGURE 17